## **Trade Bay Quote / Order Form**



Tel: 0161 626 6366



		5 "						
Name:		Delivery date (req):		Sheet				
Address:		Ref:			Delivery address:			
		Order date:						
		Telephone number:						
Post Code:		Email:			Quote no: Job no:			
Frame Time: Ovels Chemfored		Claring Pead: Ovele Chemfored					Out of frame	
Frame Type: Ovolo Chamfered		Glazing Bead: Ovolo Chamfered			Outer frame:			
Casement Type: Standard Flush		Frame Colour: External Interna			al 75mm 55mm			
Quantity: Handles: White Chro		me Graphite Gold Georgian Bar:			18 25	Window sket	ch (outside view)	
Width:	Hinges: Std Fire esca						(**********************************	
Height:	Lock Type: Stand							
Tran Drop:	Add on: None 15 25 50 Colou				top light/bevel			
Mull Position: Cill size: None 85 st					Special notes			
Location:	Patterned glass							
	PAS24							
Glass spec:				17024				
1. Sketch (outside view)	. Sketch (outside view)	1. Sketch (outside view)	1. Sketch (ou	itside view)	1. Sketch (o	utside view)	1. Sketch (outsic	de view)
Width: V	Vidth:	Width:	Width:		Width:		Width:	
Quantity:	ne Graphite Gold Georgian Bar:			8 25 Window sketch (outside view)				
Width:	Hinges: Std Fire esca	pe Easy clean Restrictor Colour:						
Height:	ard Tilt & Turn							
Tran Drop:	Add on: None Please sketch on drawing t	5 25 50 Coloured top Design code:			light/bevel			
Mull Position: Cill size: None 85 st		ub 150 180 225		Special notes				
Location: Glass: Clear		Patterned glass						
Glass spec:				PAS24				
				1	[			
1. Sketch (outside view) 1	. Sketch (outside view)	Sketch (outside view)	1. Sketch (ou	itside view)	1. Sketch (o	utside view)	1. Sketch (outsid	de view)
Width:	Vidth:	Width:	Width:		Width:		Width:	
Additions: Please indicate on the window sketch if any of the following items are required:  Sizes shown must be overall window measurements including the cill and any add on (if required) should be selected by ticking the								
Toughened glass: Mark all units which are required to be toughened safety glass with T  Trickle vents: Mark the sashes where trickle vents are with ——  Trickle vents: Mork the sashes where trickle vents are with ——  Trickle vents: Mork the sashes where trickle vents are with ——  Trickle vents: Mork the sashes where trickle vents are with ——  Trickle vents: Mork the sashes where trickle vents are with ——							drainage	
	the dummy sashes with <b>DS</b>			<ul> <li>Unless sp</li> </ul>	ecified leaded	units will be arra	anged using standard uare) depending on gl	grid size
and poolition to the following of glass sizes								
Signature of this order deems you have accepted our terms and conditions of sale								

Email (for orders) orders@geminiupvc.co.uk

Email (for quotations) sales@geminiupvc.co.uk